

Product datasheet

Specifications



remote terminal, Altivar, for variable speed drive, IP54

VW3A1006

Main

Range of product	Altivar
Accessory / separate part type	Remote terminal
Accessory / separate part category	Display and signalling accessory
Accessory / separate part destination	Variable speed drive
Range compatibility	Altivar Machine ATV320 Altivar 32 Altivar 12 Easy Altivar 310 Altivar 312 Solar Altivar 312
IP degree of protection	IP54

Complementary

Mounting location	Door of enclosure
Net weight	0.25 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.600 cm
Package 1 Width	6.700 cm
Package 1 Length	8.700 cm
Package 1 Weight	67.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	90
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.830 kg

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	66
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	7161d12e-f65a-43f1-970c-ddc6260d9e62


Use Again

Repack and remanufacture	
Recyclability potential, in %	11
End of life manual availability	No need of specific recycling operations
Take-back	No

ماكان كنترول

Dimensions Drawings

Dimensions



ماكان كنترول