

Product data sheet

Specifications



additional output module, Altivar,
relay output, 24 to 30V DC, 1 screw
terminal

VW3A3204

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------|--|
| Product or Component Type | Additional output module |
| Range Compatibility | Altivar Machine ATV340 Easy Altivar 610 Altivar Process ATV900 Altivar Process ATV600 |
| Input/Output Type | 3 relay output |
| Discrete output number | 3 |
| Discrete output type | R4, R5, R6) relay normally open 1 ms |

Complementary

| | |
|---------------------------|--|
| Electrical durability | 100000 cycles |
| Minimum switching current | 5 mA 24 V DC |
| Maximum switching current | 2 A 250 V AC inductive, $\cos \phi = 0.4$ 5 ms 2 A 30 V DC inductive, $\cos \phi = 0.4$ 5 ms 5 A 250 V AC resistive, $\cos \phi = 1$ 5 ms 5 A 30 V DC resistive, $\cos \phi = 1$ 5 ms |
| Electrical connection | Screw terminal block, 1.5 mm ² / AWG 16, 4.4 lbf.in (0.5 N.m) |
| Net Weight | 0.9 lb(US) (0.4 kg) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1CP4E22207 |
| Discount Schedule | CP4E |
| GTIN | 3606480702532 |
| Returnability | Yes |
| Country of origin | ID |

Packing Units


| | |
|------------------------------|------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 2.6 in (6.5 cm) |
| Package 1 Width | 5.1 in (13.0 cm) |
| Package 1 Length | 7.5 in (19.0 cm) |
| Package weight(Lbs) | 5.4 oz (152.0 g) |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 16 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|------------------|-------------------------|
| Package 2 Height | 11.8 in (30.0 cm) |
| Package 2 Width | 11.8 in (30.0 cm) |
| Package 2 Length | 15.7 in (40.0 cm) |
| Package 2 Weight | 6.865 lb(US) (3.114 kg) |

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



ماكان كنترول

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

2a2f2e41-9976-44a1-aaef-cecaebe1de88

REACH Regulation

[REACH Declaration](#)

California proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No

ماكان كنترول