

Product data sheet

Specifications



analog encoder interface module,
Altivar, 5 to 24V, 1 female SUB D15
connector

VW3A3422

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range of Product	Altivar
Product or Component Type	Analog encoder interface module
Range Compatibility	Altivar Machine ATV340 Altivar Process ATV900 Altivar Process Modular
Encoder type	SinCos Hiperface 1 Vpp
[Us] rated supply voltage	5 V DC 4.75...5.25 V) 12 V DC 11.4...12.6 V) 24 V DC 22.8...25.2 V)

Complementary

Maximum supply current	0.25 A 5 V DC 0.1 A 12 V DC 0.05 A 24 V DC
Protection Type	Overload protection Short-circuit protection
Maximum cable distance between devices	328.08 ft (100 m)
Maximum operating frequency	100 kHz
Input signal	Data+, Data-, Sin, RefSin, Cos, RefCos, Temp+, Temp-
Output signal	Data+, Data-
Connector type	1 female high density SUB-D 15
Net Weight	0.33 lb(US) (0.15 kg)

Ordering and shipping details

Category	US1CP4E22209
Discount Schedule	CP4E
GTIN	3606485441269
Returnability	Yes
Country of origin	ID

Packing Units


Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.598 in (6.600 cm)
Package 1 Width	5.118 in (13.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	7.480 in (19.000 cm)
Package weight(Lbs)	5.397 oz (153.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	16
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	6.669 lb(US) (3.025 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----




ماكان كنترول

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	F26c5dc1-8fcc-4cb7-9720-cb35026be240
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

ماكان كنترل