

Product datasheet

Specifications



Safety over Ethernet IP option card, Altivar

VW3A3809

Main

Range of product	Altivar Machine ATV340 Altivar Process ATV900
Product or component type	CIP Safety over Ethernet IP module
Product specific application	Material working Material handling Architecture without suspended/vertical or pulling loads

Complementary

Safety function	STO (safe torque off)
Input type	1 x CIP I/O 1 x safety input 1 x safety output
Safety level	Type 2a Type 2b
Mounting support	Integrated in drive
Net weight	0.02 kg
Width	41 mm
Height	109 mm
Depth	23.25 mm

Environment

Standards	IEC/EN 61800-5-2
Product certifications	ODVA CT18-ES

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.600 cm
Package 1 Width	13.000 cm
Package 1 Length	19.000 cm
Package 1 Weight	165.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	16
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm

Package 2 Length 40.000 cm

Package 2 Weight 3.372 kg



ماكان كنترول

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	121
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	302b02b7-9c64-4061-a82e-b43846bf2bb6
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture

Recyclability potential, in %	11
End of life manual availability	End of Life Information
Take-back	No

ماكان كنترول